

**Table I. Carpathian drill hole assay intersections from Phase II drill program at the RDM project, Minas Gerais, Brazil, October 7<sup>th</sup> to November 6<sup>th</sup> 2009.**

<i>Drill Hole</i>	<i>Area</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>True Thickness (m)</i>	<i>Au (g/t)</i>
FRM-125	III	187.0	211.0	24.0	23.5	1.23
Incl.		196.0	211.0	15.0	14.7	1.65
And		206.0	210.0	4.0	3.9	3.84
		225.0	229.0	4.0	3.9	1.22
FRM-138	III	74.0	79.0	5.0	4.9	1.54
FRM-139	III	51.0	57.0	6.0	6.0	1.02
		66.0	80.0	14.0	14.0	1.72
Incl.		66.0	74.0	8.0	8.0	2.34
FRM-140	III	60.0	68.0	8.0	8.0	2.94
Incl.		63.0	68.0	5.0	5.0	4.43
FRM-141	IV	157.0	159.0	2.0	2.0	1.49
		168.0	178.0	10.0	9.9	1.08
Incl.		174.0	178.0	4.0	4.0	1.42
FRM-142	III	171.0	173.0	2.0	2.0	4.94
		179.0	180.0	1.0	1.0	5.44
		191.0	192.0	1.0	1.0	3.05
		201.0	213.0	12.0	11.8	1.71
Incl.		201.0	209.0	8.0	7.9	1.99
FRM-143	III	57.0	60.0	3.0	2.5	1.50
		76.0	83.0	7.0	5.9	2.47
FRM-144	III	180.0	185.0	5.0	4.8	1.68
		193.0	195.0	2.0	1.9	2.71
FRM-145	III	151.0	171.0	20.0	18.9	1.58
Incl.		151.0	166.0	15.0	14.2	1.90
And		160.0	166.0	6.0	5.7	3.40
FRM-146	III	191.0	194.0	3.0	2.8	3.60
		207.0	214.0	7.0	6.6	1.04
		220.0	228.0	8.0	7.6	1.44
FRM-147	V	30.0	37.0	7.0	7.0	2.25
		55.0	72.0	17.0	16.9	2.70
Incl.		55.0	69.0	14.0	14.0	3.08
And		57.0	60.0	3.0	3.0	5.42

<i>Drill Hole</i>	<i>Area</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>True Thickness (m)</i>	<i>Au (g/t)</i>
FRM-149	V	86.0	88.0	2.0	1.9	1.73
		113.0	114.0	1.0	1.0	1.59
FRM-150	V	141.0	148.0	7.0	6.8	1.55
Incl.		145.0	148.0	3.0	2.9	2.49
FRM-151	North	7.0	19.0	12.0	12.0	0.73
Incl.		18.0	19.0	1.0	1.0	3.40
		24.0	25.0	1.0	1.0	1.43
FRM-152	North	7.0	8.0	1.0	1.0	3.19
		30.0	35.0	5.0	5.0	0.78
Incl.		30.0	32.0	2.0	2.0	1.25
FRM-153	North	27.0	30.0	3.0	2.9	3.64
		48.0	52.0	4.0	3.9	0.77
FRM-154	V	85.0	86.0	1.0	1.0	2.06
		112.0	119.0	7.0	7.0	3.29
FRM-155	V	10.0	20.0	10.0	10.0	2.52
Incl.		15.0	20.0	5.0	5.0	4.07
FRM-156	South	NSI				
FRM-157	South	NSI				
FRM-158	South	28.0	30.0	2.0	2.0	0.83
FRM-159	South	45.0	51.0	6.0	5.5	1.72
FRM-160	South	46.0	48.0	2.0	2.0	1.26
FRM-162	South	12.0	15.0	3.0	3.0	0.91
		21.0	22.0	1.0	1.0	1.06

*Notes: Assay intersections are calculated using a 0.30 g/t Au cut-off and maximum allowable dilution of three consecutive metres at <0.30 g/t Au. NSI = no significant intersection. Drill hole details i.e. azimuth, declination and total depth, are shown in Drill Hole Details in Table II below.*

**Table II. Drill hole details for holes completed by Carpathian at the RDM Project during Phase II drill program October 7th to November 6th, 2009.**

<i>Drill Hole</i>	<i>Area</i>	<i>Northing</i>	<i>Azimuth (degrees)</i>	<i>Declination (degrees)</i>	<i>Total Depth (m)</i>
FRM-125	III	9,864	270	-69	241.6
FRM-138*	III	9,642	270	-64	106.0
FRM-139*	III	9,916	270	-58	85.0
FRM-140	III	9,634	270	-52	100.2

<b>Drill Hole</b>	<b>Area</b>	<b>Northing</b>	<b>Azimuth (degrees)</b>	<b>Declination (degrees)</b>	<b>Total Depth (m)</b>
FRM-141	IV	10,048	270	-67	217.6
FRM-142	III	9,989	270	-71	271.8
FRM-143	III	9,740	270	-87	100.7
FRM-144	III	9,954	270	-70	221.4
FRM-145	III	9,841	270	-73	185.7
FRM-146	III	9,908	270	-71	240.4
FRM-147	V	10,670	270	-58	106.8
FRM-149	V	10,830	270	-71	136.9
FRM-150	V	10,518	270	-74	211.8
FRM-151*	North	10,870	272	-53	49.0
FRM-152*	North	10,911	270	-59	42.0
FRM-153*	North	10,911	270	-65	70.0
FRM-154	V	10,830	270	-57	163.0
FRM-155*	V	10,507	270	-57	100.0
FRM-156*	South	8,840	270	-71	60.0
FRM-157*	South	8,800	270	-77	50.0
FRM-158*	South	8,880	270	-61	60.0
FRM-159*	South	8,880	270	-72	91.0
FRM-160*	South	8,840	270	-65	82.0
FRM-162*	South	8,918	280	-58	60.0

*Notes: All drill holes are diamond drill core through the gold mineralized zone with exception of holes marked with \* which are reverse circulation drill holes. All Northings are in local grid coordinates which are rotated 20 degrees west from true north. All drill hole azimuths are local grid azimuths, i.e. rotated 20 degrees west from true north.*