

**Table of diamond drill hole assay intersections from Carpathian drilling at the RDM project, Minas Gerais, Brazil.**

<i>Drill Hole</i>	<i>Area</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>True Thickness (m)</i>	<i>Au (g/t)</i>
<b>FRM-01</b>	South Ext.	87.50	95.50	8.0	6.1	0.90
<b>Incl.</b>		91.50	95.50	4.0	3.1	1.55
<b>FRM-02</b>	South Ext.	92.50	98.50	6.0	4.7	0.55
		103.50	106.50	3.0	2.4	0.82
<b>FRM-03</b>	South Ext.	91.25	99.25	8.0	6.3	0.84
<b>Incl.</b>		91.25	94.25	3.0	2.4	1.51
<b>FRM-05</b>	South Ext.	NSI				
<b>FRM-07</b>	South Ext.	57.20	65.20	8.0	6.6	2.09
<b>Incl.</b>		60.20	64.20	4.0	3.3	3.58
<b>FRM-09</b>	III	163.50	168.50	5.0	4.5	2.64
		171.50	174.50	3.0	2.7	1.70
<b>FRM-11</b>	III	169.50	179.50	10.0	9.1	0.96
<b>Incl.</b>		176.50	179.50	3.0	2.7	1.56
		187.50	194.50	7.0	6.2	0.91
<b>Incl.</b>		191.50	194.50	3.0	2.7	1.20
<b>FRM-15</b>	IV/V	142.40	155.40	13.0	10.9	2.10
		161.40	170.40	9.0	7.6	0.64
<b>Incl.</b>		165.40	168.40	3.0	2.5	1.38
<b>FRM-16</b>	IV	78.50	83.50	5.0	5.0	0.64
		102.50	104.50	2.0	2.0	1.72
<b>FRM-19</b>	IV	84.90	88.90	4.0	3.2	1.94
		91.90	101.90	10.0	8.0	6.95
<b>Incl.</b>		91.90	98.90	7.0	5.6	9.21
		124.90	130.90	6.0	4.8	0.58
<b>FRM-20</b>	V	125.30	131.30	6.0	5.2	2.28
<b>Incl.</b>		126.30	130.30	4.0	3.5	3.11
		148.30	157.30	9.0	7.8	4.75
<b>Incl.</b>		148.30	155.3	7.0	6.1	5.99
		161.30	164.30	3.0	2.6	1.88
<b>FRM-22</b>	III	162.70	167.50	5.0	4.4	1.49
		171.50	176.50	5.0	4.4	1.09
		182.50	186.50	4.0	3.6	2.36
		211.50	219.50	8.0	7.1	0.53

*Notes: Assay intersections are calculated using a 0.30 g/t Au cut-off and maximum allowable dilution of two consecutive metres at <0.30 g/t Au. Drillhole details i.e. i.e. Azimuth, declination and total depth are shown in Drill Hole Descriptions table below.*

**Table of diamond drill hole assay intersections from Carpathian re-sampling and assay of diamond core drilled by Vale at the RDM project, Minas Gerais, Brasil.**

<i>Drill Hole</i>	<i>Area</i>	<i>From (m)</i>	<i>To (m)</i>	<i>length (m)</i>	<i>True Thickness (m)</i>	<i>Au (g/t)</i>
<b>F-10</b>	III	19.00	20.00	1.0	1.0	3.05
		32.00	44.00	12.0	12.0	1.02
<b>And</b>		39.00	44.00	5.0	5.0	1.79
<b>F-12</b>	III	39.00	51.00	12.0	12.0	1.80
<b>Incl.</b>		40.00	43.00	3.0	3.0	5.44
		58.00	67.00	9.0	9.0	1.78
<b>Incl.</b>		61.00	66.00	5.0	5.0	2.67
		72.00	74.00	2.0	2.0	2.15
<b>F-13</b>	III	63.00	72.00	9.0	9.0	5.84
<b>Incl.</b>		66.00	72.00	6.0	6.0	8.21
<b>F-24</b>	IV	50.00	55.00	5.0	5.0	3.19
<b>Incl.</b>		64.00	84.00	20.0	20.0	0.79
		73.00	81.00	8.0	8.0	1.34
<b>F-25</b>	IV	33.00	34.00	1.0	1.0	3.76
<b>Incl.</b>		71.00	79.00	8.0	8.0	0.95
		71.00	73.00	3.0	3.0	2.03
<b>F-26</b>	IV	85.00	93.00	8.0	8.0	1.04
<b>Incl.</b>		85.00	89.00	4.0	4.0	1.73
<b>F-28</b>	IV	116.00	121.00	5.0	4.9	0.73
<b>F-36</b>	III	72.00	75.00	3.0	2.7	1.75
		77.00	84.00	12.0	10.9	1.00
		94.00	97.00	3.0	2.7	2.38
<b>F-72</b>	V	106.00	114.00	8.0	7.8	3.25
<b>F-73</b>	V	62.00	66.00	4.0	3.3	1.07
<b>Incl.</b>		77.00	111.00	34.0	28.2	1.57
		77.00	95.00	18.0	14.9	2.23
<b>And</b>		90.00	95.00	5.0	4.2	2.49
<b>And</b>		101.00	106.00	5.0	4.2	1.74
<b>F-87</b>	V	71.00	94.00	23.0	20.9	1.67
<b>Incl.</b>		82.00	87.00	5.0	4.6	5.19

*Notes: Assay intersections are calculated using a 0.30 g/t Au cut-off and maximum allowable dilution of two consecutive metres at <0.30 g/t Au. Drillhole details i.e. i.e. Azimuth, declination and total depth are shown in Drill Hole Descriptions table below.*

**Drill Hole Details Table for drill holes completed by Carpathian at the RDM Project with label prefix FRM-xx. Also included are diamond drill holes completed by Vale from which Carpathian has resampled and assayed with drill hole prefix F-xx.**

<b>Drill Hole</b>	<b>Area</b>	<b>Northing*</b>	<b>Azimuth* (degrees)</b>	<b>Declination (degrees)</b>	<b>Total Depth (meters)</b>
FRM-01	South Ext.	8,940N	0	-90	121.52
FRM-02	South Ext.	9,110N	0	-90	121.72
FRM-03	South Ext.	9,250N	0	-90	121.25
FRM-07	South Ext.	9,350N	0	-90	96.93
FRM-09	III	9,460N	0	-90	180.27
FRM-11	III	9,720N	270	-85	214.83
FRM-15	IV/V	10,360N	270	-85	251.58
FRM-16	IV	10,130N	270	-60	121.67
FRM-19	IV	10,130N	0	-90	141.25
FRM-20	V	10,610N	270	-85	200.11
FRM-22	III	10,050N	270	-85	232.70
F-10	III	9,950N	270	-61	141.95
F-12	III	9,850N	270	-70	102.00
F-13	III	9,750N	270	-63	93.00
F-24	IV	10,050N	270	-71	119.85
F-25	IV	10,160N	270	-60	83.55
F-26	IV	10,260N	270	-57	99.50
F-28	IV	10,460N	270	-54	131.90
F-36	III	9,710N	0	-90	112.08
F-72	V	10,540N	0	-90	147.20
F-73	V	10,600N	0	-90	137.38
F-87	V	10,540N	0	-90	107.05

*Notes: \* All Northings are in local grid coordinates which are rotated 20 degrees west from true north.*

*\*All drill hole azimuths are local grid azimuths, i.e. rotated 20 degrees west from true north.*